QUEENSLAND.

SECOND ANNUAL REPORT

ON

REGISTRATION OF BIRTHS, MARRIAGES, AND DEATHS.

Ordered by the Executive Council to be Printed, 8th April, 1862.

THE REGISTRAR-GENERAL to THE HONORABLE THE COLONIAL SECRETARY.

Registrar-General's Office, Brisbane, 21st March, 1862.

SIR,

I do myself the honor to forward to you for presentation to Parliament, the Second Annual Report on the Registration of Births, Marriages, and Deaths, for the year ending 31st December, 1861, accompanied, as on the last occasion, by a few introductory remarks and by some tables compiled for the further explanation of the subject, intended to save time and trouble to those who may desire statistical information.

- 2. Some delay has arisen in the preparation of this document from causes I hope not likely to occur again: I allude to the unfortunate accident to the Deputy-Registrar, by which I have been deprived of his valuable assistance; and, secondly, to the non-arrival of the returns from the district of Rockhampton, which should reach me early in the month of January, but did not do so until the 15th of the present month.
- 3. The particular branch of Statistics to which this Report and the tables appended to it have reference, viz.:—Population, its productiveness; its rate of increase or of decrease; the proportion of the sexes; the duration of human life; the sanatory condition of the colony, and of its various towns and districts, comprised under the general name of Vital Statistics; is in this country of scanty population well deserving of attention.
- 4. The civilization of States may to a certain extent be estimated and measured by the value its citizens attach to human life—the deeper they are sunk in barbarism the less regard do they pay to it; the progressive increase in the value attached to it is evidenced as civilization advances by the numerous laws enacted to restrain or entirely forbid the pursuit of occupations injurious to health; until at last it is recognized to be the duty of Government to protect its subjects as far as possible from the insidious attacks of disease, equally as from the assaults of crime, or from accidents. That any human laws or regulations will be sufficiently perfect to effectually attain these ends is not of course to be expected; but neither can it be disputed that the evils arising from man's bad passions, ignorance, or folly, are susceptible of much mitigation, and that the State which best does this is the first in the race of civilization.
- 5. Before the Government of any country can enter into a consideration of the sanatory condition of its subjects, and make laws and regulations for the protection of their health, it must be possessed of reliable information on which to act; to supply this information is the duty of the Statist, and although this colony—blessed with a healthy climate, and as yet possessing only a scattered population in the full enjoyment of all the necessaries and most of the luxuries of life—may not yet require the enactment of Sanatory Laws, there is still little doubt that as population increases they will become necessary, and the value of these records will then be apparent.
- 6. Circulars have during the past year been sent from this office to the different District Registrars, asking them two questions—first, if they thought the provisions of the Registration Act were wilfully evaded; and secondly, if they experienced much difficulty in obtaining the required information. To the first question the reply is satisfactory, few are believed wilfully to neglect the Registration of Birth or Death, although some, particularly amongst foreigners, do so from ignorance. The reply to the second question is not so satisfactory, much difficulty is experienced in obtaining correct information, especially

in the country, the reason is clearly stated by one of the District Registrars, who says—"When it is considered that this is a Pastoral District, that many of the persons at sheep stations have no communication with the towns for months, or with the head stations for weeks, that fully one-third of the laboring class are Germans or Chinese, and that in most instances the information is necessarily transmitted through the superintendent or proprietor, it will appear quite possible that many Births and Deaths occur which I never hear of." The inference from this reply is obvious, and suggests as a remedy that all tenants of the Crown should be required to take note of every Death or Birth occurring on their leaseholds, and to supply the District Registrar with the necessary information. The Germans are the principal sufferers by the above neglect, and as they as a class, look, even more anxiously than do our own countrymen, to ultimately becoming landed proprietors, they should be assisted as much as possible in the Registration of Birth or Death.

- 7. Having in my first Annual Report brought down the Statistical Records of the colony, as far as the materials at my command would permit, to the 31st December, 1860, I do not consider it necessary on the present occasion to go over that ground again, I have therefore confined this Report to the result of last year's Registration, introducing only such tables as are required to enable comparisons to be made with those of the previous year, 1860.
- 8. The population of the colony first deserves attention, and it is satisfactory to be able to report a large annual increase. On the 31st December, 1860, it is estimated to have been 29,074 souls, consisting of 17,427 males, 11,647 females. On the 31st December, 1861, it is estimated to have been 34,367 souls, consisting of 20,811 males, 13,556 females; the increase during the year is therefore 3,384 males, 1,909 females, total increase 5,293.
- 9. The Census taken on the night of the 7th April, 1861, is the groundwork of both these calculations; in the one case deducting the excess of Births over Deaths, and of Arrivals over Departures, which occurred between the 31st December, 1860, and the following 7th April; in the other, adding the increase arising from the same causes between the 7th April, and the following 31st December, 1861. To do this correctly it was necessary to reduce the population of the 7th April to some quarterly period of the year, and I have done this by deducting from the population of the 7th April, the estimated increase from all causes, which, taking the average of the first quarter of the year as a guide, may be reasonably presumed to have arisen in the week between the 1st and 7th April, the estimate is thus made to 31st March, and by deducting one quarter's, or by adding three quarters' returns, the population of either 31st December, 1860, or 1861, is arrived at. By making the calculation in this manner I have reduced the chance of error to the shortest possible period, namely one week, the calculation will be as follows:—

	Males.	Females.	Total Increase.
First quarter, 1861, excess of Births over Deaths Ditto ditto Arrivals over Departures	89 556	115 155	204 711
Total increase for first quarter, 1861	645	270	915
Average increase for one week is therefore	49	21	70
Total increase from 1st January to 7th April, 1861	694	291	985
Population as per Census 7th April, 1861 Deduct increase between 1st January and 7th April, 1861	18,121 694	11,938 291	30,059 985
Population on 31st December, 1860	17,427	11,647	29,074
Population as per Census 7th April, 1861 Add increase between 7th April and 31st December, 1861	18,121 2,690	11,938 1,618	30,059 4,308
Population on 31st December, 1861 Deduct population on 31st December, 1860	20,811 17,427	13,556 11,647	34,367 29,074
Annual increase for the year 1861	3,384	1,909	5,293

^{10.} It therefore appears that the population has increased during the year 1861 at the rate of 18·21 per cent. On the 30th December, 1859, the population is estimated to have been 26,038—15,664 males, 10,374 females, it therefore increased during the year 1860 by the addition of 3,036 persons—1,763 males, 1,273 females, or at the rate of 11·66 per cent. The total increase since Separation has therefore been at the rate of 29·87 per cent., if this rate be maintained it will double itself in about five years, the next Census would therefore record a population of 60,000 souls.

11. The following table shows the number of persons who arrived in and departed from the colony during the year 1861, compiled by the Collector of Customs, from returns kept at the shipping ports of Brisbane, Maryborough, Port Curtis, Rockhampton, and Port Denison. It further distinguishes the port of arrival, the sexes, and the ages, so far as being above or below the age of fourteen. I have also added a column showing the increase to the population arising from excess of Births over Deaths, and a column showing at one view the total increase from all ascertainable causes.

1861.

		AR	RRIVAI	LS.				DEPA	RTUI	RES.		es.	Arrivals tures.	18 over	e to a the	
	Brisbane.	Maryborough.	Port Curtis.	Rockhampton. Port Denison. Total Arrivals.	Maryborough.	Port Curtis.	Rockhampton.	Port Denison.	Total Departures	Excess of Arriva	Excess of Births Deaths.	Total increase population in year 1861.				
Males above 14 Males under 14	3,023	217 28	175 104	509 43	16 3	3,940 518	977 65	90 7	28 8	276 6		1,371 86	2,569 432			Males
Total Males	3,363	245	279	552	19	4,458	1,042	97	36	282		1,457	3,001	382	3,384	١١٤
Females above 14 Females under 14	1,039 349	67 22	17 21	162 34	6 3	1,291 429	217 49	28 12	1 2	34 8	1	281 71	1,010 358			Females
Total Females	1,388	89	38	196	9	1,720	266	40	3	42	1	352	1,368	542	1,909	Ten T
Total persons	4,751	334	317	748	28	6,178	1,308	+137	39	324	1	1,809	4,369	924	5,293	

There exists at present no means of taking an account of inland arrivals or departures, but I have no doubt that they would show a balance in favor of the colony. From the above table it appears that the increase, arising from the excess of arrivals over departures, was at the rate of 15.03 per cent. on the population of 31st December, 1860, and that in this increase, the sexes were in the proportion of nearly 46 females to 100 males.

12. Included in the above return of arrivals and departures, are the immigrants landed from the two ships, "Mangerton" and 'Persia," in number 799: males, 422, females, 377, that is, rather more than 89 females to each 100 males; comparing this proportion with that of the total increase of 46 females to 100 males shows how much the intercolonial arrivals tend to continue the disproportion of the sexes; deducting the European immigrants, the proportion of females to males, of intercolonial arrivals, is only 38 and a fraction of the former to 100 of the latter. The proportion of females to males, on the 31st December, 1859, was 66 females to 100 males; the proportion on the 31st December, 1860, was also 66 to 100; the proportion on the 31st December, 1861, was only 65 females to 100 males. It is not satisfactory thus to see the disproportion of the sexes growing larger, it is a serious social evil, and one which there is reason to fear will increase, unless checked by the introduction of a large proportion of female immigrants from Europe; the tendency of the intercolonial immigration is yearly to diminish the proportion of females; the smaller centesimal proportion which the Births last year bore to the whole population may probably be referred to this cause.

13. The following table gives the number of Births registered in each district of the colony for two years ending 31st December, 1861, distinguishing between the sexes and showing the numerical and centesimal increase in the Births registered in the latter year over those registered in 1860.

BIRTHS.

		1860.			1861.			r cent.	Proportion of	Proportion of
DISTRICT.	Males,	Females.	Total.	Males.	Females.	Total.	Increase.	Increase per	Females to each 100 Males born in the year 1860.	Females to each 100 Males born in the year 1861.
Brisbane	167 63 49 40 15 39 22 6 7 29	173 163 61 61 43 16 20 20 4 5 24	382 330 124 110 83 31 59 42 10 12 53	248 154 61 74 53 18 46 30 8 12 35	206 174 60 68 35 27 40 30 10 5 29	454 328 121 142 88 45 86 60 18 17 64	72 a dimi do. 32 5 14 27 18 8 5 11	19·63 nution do. 29·10 6·02 77·77 45·76 42·86 80·00 41·66 20·75	82·77 97·60 96·82 124·49 107·50 016·66 51·29 90·90 66·66 71·43 82·76	83·06 112·99 98·36 91·89 66·04 150·00 86·96 100·00 125·00 41·66 82·86
TOTAL	616	590	1,236	739	684	1,423	187	15.13	91.61	92:56

- 14. It appears therefore that comparing the two years 1860 and 1861, there is an increase in the number of Births registered in the latter year in every district except two, and a total increase in the colony, of 187, being at the rate of 15·13 per cent. on the number born in 1860. In 1860, the Births registered were in the proportion of 4·25 per cent. to the whole population estimated to 31st December 1860. In 1861, their proportion was 4·14 per cent., also estimated to 31st December, 1861. In the former year 91·61 females were born to every 100 males. In the latter year 92·56 females were born to every 100 males.
- 15. The result of a comparison between the above table and the table of Deaths given at folio 6, is to show first, that the number of Births exceeded the number of Deaths by 924; second, that although from the above table there were only 92 females born to each 100 males born, still that the female part of the population increased more rapidly than the male, in consequence of the far greater proportion of male deaths, namely, 251 males to each 100 females. The numerical increase of females was 542, of males 382. In proportion to the population of 31st December, 1860, the former is 55 per cent. greater than the latter.

MARRIAGES.

The following table shows the respective number of Marriages registered in every District during the two years 1860-1, and the religious rites according to which they were solemnized.

Year and District,	Church of England.	Church of Rome.	Presbyterians,	Wesleyan Methodists.	Independent.	Baptists.	Lutheran.	Congregational.	Registration Office.	Total, 1860.	Total, 1861.
1860, Brisbane 1861, do 1860, Ipswich 1861, do 1860, Warwick 1861, do 1860, Drayton 1861, do 1860, Dalby 1861, do 1860, Condamine 1861, do 1860, Gayndah 1861, do 1860, Maryborough 1861, do 1860, Taroom 1861, do 1860, Taroom 1861, do 1860, Port Curtis 1861, do	19 19 21 10 1 8 10 13 11 1 2 5 2 3 4 1 4	13 18 27 32 1 2 1 1 1	10 20 8 14 16 11 4 1 1 1 4 	8 16 20 111 2	2 1 	9 12 1 1 2 2 1 	3 4 	9 16 2 2	2 5 2 2 3 2 3 7 1 2 1 1 2 8 10 7 5 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	73 82 23 31 8 4 19 17 5 1 15 15 15	113* 72 21 23 14 6 20 15 7 27 1
Тотац, 1860	57	47	46	30	1	12	3	24	58	278	
Тотац, 1861	80	61	47	27	2	16	5	30	51		320*

^{*} One unspecified in Brisbane being added.

- 17. This table brings to light a few curious facts, such as the following:—The total number of Marriages in 1860, was, 278; the total number of Marriages in 1861, was, 320: there is therefore an increase of 42 in the number. In 1860, the number of persons married were in the proportion of 1 to every 52 of the total population, estimated to the 31st December, 1860; in 1861, of 1 to every 53 of the total population, to the same day of 1861.
- 18. It is singular that the above increase in the number of Marriages should arise almost entirely in the district of Brisbane, for if the numbers be calculated exclusive of Brisbane, there is only an increase of two in the remainder of the colony. In Brisbane, the Church of England has solemnized the same number each year, has lost ground considerably in Ipswich, but has more than regained it in all the other districts. The Church of Rome has gained in Brisbane, Ipswich, Gayndah, and Maryborough, but has lost in the other districts. The Presbyterians have gained largely, in Brisbane and Ipswich, but lost elsewhere. As might be expected from the greater number of clergymen of various denominations now settled in the colony, the number of Marriages performed at the Registration Offices has diminished. The largest centesimal increase is in the Church of England,

viz.: 40.35

viz.: 40.35 per cent. on the number registered in 1860. The only denomination in which the number registered in 1861 is less than the number registered in 1860, is the Wesleyan Methodists.

19. Table showing the Number of Persons Married of each Religious Denomination who signed the Marriage Register with a mark, and distinguishing Districts and Sexes for the two years 1860, and 1861.

1860. DENOMINATIONS.	Brishane.	TO THE PROPERTY OF	Tagarriah	Tpswich.		Warwick.		Drayton.		Dalloy.		Condamine.		Gavndah	day maari	Mourhough	many norough.	Donocomo	raroom.		Fort Curus.	D - 17.	коскпашрюн.	77	Kennedy.		The whole colony.	Total of both Sexes in the whole colony.
	м.	F.	м.	F.	м.	F.	M	. F	. 1	. I	7. 1	1.	F. 1	м.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	M.	F.	Males and Females.
Church of England Church of Rome Presbyterians Wesleyan Methodists Independents	 -	3 4	1 10 1 2	11	3		3	1							1								1			3 11 6 3	17	10 28 15 7
Baptists Lutherans Registrar's Office Congregationalists	 1	1	1	1	1	2			0		5.1.		2	2	3	2	7	1					4			9	1 24 9	2 33 10
TOTAL	 3	10	15	17	5	6	9	1 1	1	2	6.		2	2	4	2	7	1					5			34	71	105
1861.	м.	F.	М.	F.	М.	F	. M	. F	. 1	[. I	7. 1	d.	F.	м.	F.	м.	F.	М.	F.	м.	F.	м.	F.	м.	F.	M.	F.	Males and Females.
Church of England Church of Rome Presbyterians Wesleyan Methodists Independants	 9 2 2 1	6 5 8 2		21		4		i	1 .					1		1	1			1			1			12 9	11 26 15 6	24 38 24 7
Baptists Lutherans Registrar's Office Congregationalists	 2	1 1 4	1	···· 1	1			i	3						1 3		1				1	2	5			3	12 12 8	5 19 11
TOTAL	 17	27	15	30	4	-	1 :	2	5.	-				4	4	1	2			1	1	3	7	1	-	48	80	128

20. From the above table it appears that the number of persons who signed the marriage register in the year 1860 with a mark were in the proportion of 18.88 per cent. to the total number of persons married in that year, and in the following year, 1861, in the proportion of 20.00 per cent., if this is any test, education is not improving. In the former year 67 per cent. of those signing with a mark were females, in the latter year they were in the proportion of 62 per cent. In all the three most numerous denominations, i. e., Church of England, Church of Rome, and Presbyterian Church, the increase in number of marksmen and of markswomen is beyond its fair proportion.

21. The following table exhibits at one glance the results of the two last years marriage registrations.

		1860.			1861.	
DENOMINATIONS.	Number married,	Number who signed with a mark.	Per centage who signed with a mark.	Number married.	Number who signed with a mark.	Per centage who signed with a mark.
	114	10	8.77	160	24	15.00
Church of England		10			38	31.15
Church of Rome		28	29.79	122		
Presbyterians	. 92	15	16.30	94	24	25.53
Wesleyan Methodists	. 60	7	11.67	54	7	12.96
Independents	0	0		4		
Baptists	* 91	2	8.33	32	5	15.62
Tathonona	6	0		10		
C 1'1'.1-	10	10	20.83	60	19	31.66
Registration Office	116	33	28.45	102	11	10.78
TOTAL	. 556	105	18.88	638*	128	18:88

^{*} Add one unspecified marriage or two persons ; total, 640.

^{22.} The following table gives the number of Deaths registered in each district of the colony for two years ending 31st December, 1861, distinguishing between the sexes, and also the number of Deaths which have taken place among those born since the 1st January, 1860.

DEATHS.

			1860.			1861.			per cent.	ame	nber of ong thos ce 1st Ja	e born	Number remaining alive of those born since 1st January, 1860.
DISTRICT.		Males.	Females.	Total,	Males.	Females.	Total.	Increase.	Increase	1860.	1860.	Total.	Numbers alive o born 1st Janu
Brisbane		89	59	148	99	45	144 {	A dimi	nution 4	32	42	74	762
Ipswich		56	36	92	72	36	108	16	17:39	20	44	64	594
Warwick		36	17	53	11	17	28 {	A dimi of	nution 25	12	8	20	225
Drayton		31	11	42	43	9	52	10	23.81	9	16	25	227
Dalby		19	14	33	17	11	28 {	A dimi	nution 5	} 4	10	14	157
Condamine		14	6	20	13	7 4	20 35	11	45.83	5 4	4 9	9	67 132
Gayndah Maryborough		21 9	3 6	24 15	31 10	4	14 {		nution	} 2	4	6	96
Taroom		6	1	7	14	2	16	9	128.57	2 2	4	6	22
Port Curtis		7		7	7		7	0		2	2	4	25
Rockhampton		33	4	37	34	8	42	5	13.21	3	-7	10	107
Kennedy	• • • •				6		6						
TOTAL		321	157	478	356	143	499	21	4:39	95	150	245	2,414

- 23. On examining the analysis of causes of Death in the Appendix, it is impossible to avoid being struck with the large proportion of Deaths, 119, arising from external causes, such as accidents, suicides, murders, &c., &c., they actually form 23.85 per cent. of the total Deaths from all causes, by far the greater number of these arising from any one case are from drowning, namely 42;—is not intoxication the principal cause of most of these deaths? The large number of Deaths of Children must also attract attention, 177 having died under two years of age, being 35.47 of the total number of Deaths registered in the colony.
- 24. The per centage of Deaths of Children under two years of age appears by the Brisbane tables to be 41.66, and by the Ipswich tables to be 44.44 of the total number of Deaths in each place; it would not be safe from these figures to jump to any conclusion that these towns are more unhealthy for children than the other districts of the colony, for it must be borne in mind that a very much larger proportional number of children of the above age are to be found in them than in any other part of the colony, naturally therefore a larger proportional number of Deaths occurs among them: still, however, there is no doubt that the deaths of children all throughout the colony is larger than it ought to be. May not this also be attributed to the intemperate habits, not of the children who suffer, but of their parents?
- 25. The following table compares the number of Births with the Deaths that have occurred in the year 1861, and shows the increase to the population that has arisen from the greater number of the former, also the centesimal proportion of Births to each 100 Deaths, and of females born to each 100 males born:—

1861.

		BIRTH	S)	DEATH	S	hs over	propor- Births to Deaths.	propor- Females each 100	propor- ales died Males.	of Births over is of Males.	hs over males.	Births
DISTRICT.	Males.	Females.	Total,	Males.	Females.	Total,	Excess of Births Deaths.	Centesimal tion of Bir each 100 Des	Centesimal tion of F born to ea Males,	Centesimal proportion of Females died to each 100 Males.	Excess of Birt Deaths of M	Excess of Births ove Deaths of Females.	Total excess of over Deaths.
Brisbane	248	206	454	99	45	144	310	315	83.06	45.45	149	161	310
Ipswich	154	174	328	72	36	108	220	303	112.99	50.00	82	138	220
Warwick	61	60	121	11	17	28	93	432	98.36	154.54	50	43	93
Drayton	74	68	142	43	9	52	90	273	91.89	20.93	31	59	90
Dalby	53	35	88	17	11	28	60	314	66.04	64.70	36	24	60
Condamine	18	27	45	13	6	19	26	236	150.00	46.15	5	21	26
Gayndah	46	40	86	31	4	35	51	245	86.96	12.90	15	36	51
Maryborough	30	30	60	10	4	14	46	428	100.00	40.00	20	26	46
Taroom {	8	10	18	14	2	16	2	112	125.00	14.29	a diminution	8	2
Port Curtis	12	5	17	7		7	10	243	41.66		5	5	10
Rockhampton	35	29	64	34	8	42	22	154	82.86	23.53	1	11	12
Kennedy {				6		6	a dimi- nution of 6	•			a diminution of 6		a diminution of 6
TOTAL	739	684	1,423	357	142	499	924				382	542	924

26. From the above it appears that there occurred 35 Deaths to each 100 Births; that 92 females were born to each 100 males; that 38 females died to each 100 males; that 51.93 of the total Births are males; that 71.54 of the total Deaths are males; that 41.34 of the total increase are males; and 58.66 of the total increase are females; the increase of females is, therefore, 17.32 per cent. greater than that of the males.

27. The following table is given to enable a comparison to be drawn between the infantine mortality of the two years, 1860 and 1861.

DEATHS	OF	CHIL	DREN

						1860.			1861.	
	Д	ISTRIC	r.		Below 2 years.	2 and under 5 years.	Total, below 5 years.	Below 2 years.	2 and under 5 years.	Total, below 5 years.
Brisbane				 	68	10	78	59	9	68
Ipswich				 	40	10	50	48	3	51
Warwick				 	21	6	27	8	1	9
Drayton				 	12	1	13	16	1	17
Dalby				 	12	1	13	10	2	12
Condamine				 	3		3	4	1	5
Gayndah				 	8	1	9	9		9
Maryborough				 	4		4	4	2	6
Taroom				 	2		2	4		4
Port Curtis				 	3		3	2		2
Rockhampton				 	6		6	5		5
Kennedy				 						
		T	OTAL	 	179	29	208	169	19	188

28. It is satisfactory to observe from the above that although the population has increased, the number of Deaths of Children has slightly diminished: it still seems however disproportionately large, both as regards the population and the total deaths. The proportion to the population of 31st December, 1860, was, under 2 years, '61 per cent.; under 5 years, '72 per cent. The proportion to the population of 31st December, 1861, was, under 2 years, '49 per cent.; under 5 years, '54 per cent. The proportion to the total deaths in 1860, was, under 2 years, 37·45 per cent; under 5 years, 43·51 per cent. The proportion to the total Deaths in 1861, was, under 2 years, 33·87 per cent.; under 5 years, 37·67 per cent. The districts which show the most decided improvement are those of Brisbane and Warwick; there is no very marked difference in any of the others.

29. It is with great pleasure that I observe a considerable diminution in the number of unspecified causes of Death; in 1860, with a smaller number of Deaths, 34 are registered without the cause of Death being stated, in the last year, with a larger number of Deaths to record, only 21 are registered without the cause being stated.

30. In conclusion, I beg most respectfully to draw your attention to the unsatisfactory state of the several registration divisions of the colony, their boundaries are vague—in some cases unknown—and the area of many of them far too large; this remark I submit applies more or less to all the other divisions of the colony. The publication of a reliable map showing, where possible, the various divisions of the Colony into Counties, Parishes, and Municipalities, also showing the boundaries of the Electoral, Registration, Police or Commissioners' Districts, would be of great use, and will I think be found necessary, before any attempt can be made to amend them.

I have the honor to be,

Sir,

Your most obedient Servant,

F. O. DARVALL,

Registrar-General.

APPENDIX TO REGISTRAR-GENERAL'S REPORT FOR THE YEAR 1861.

TABLE No. 1.

Showing the Number of Births, Marriages, and Deaths, registered in the Colony of Queensland, during the year ending 31st December, 1861, and the Population on that day.

31s	POPULATION DECEMBER,			BIRTHS.		GES,		DEATHS.	
Males.	Females.	Total.	Males.	Females.	Total.	MARRIA	Males.	Females.	Total.
20,811	13,556	34,367	739	684	1,423	320	356	143	499

BIRTHS.

TABLE No. 2.

The following table shows the proportion of Births during the year 1861, registered in each quarter, distinguishing the Sexes and showing the proportion that the Female Births bear to the Male Births.

	1st	QUAR	RTER.	2ni	QUAE	TER.	3RI	QUA	RTER.	411	H QUA	RTER.				each
	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Total of Year.	Total Males.	Total Females	Proportion of Females to 100 Males.
Brisbane Ipswich Warwick Drayton Dalby Condamine Gayndah Maryborough Taroom Port Curtis Rockhampton Kennedy	57 40 12 17 11 3 15 11 1 5 9	52 35 17 16 11 4 5 10 3 7	109 75 29 33 222 7 20 21 4 8 16	59 40 12 25 13 4 9 4 2 3 9	37 33 13 12 7 9 17 7 6	96 73 25 37 20 13 26 11 2 3 15	63 33 22 15 13 5 11 7 2 2 10	51 58 15 17 11 5 11 5 1 2 7	114 91 37 32 24 10 22 12 3 4 17 	69 41 15 17 16 6 11 8 3 2 7	66 48 15 23 6 9 7 8 6 	135 89 30 40 22 15 18 16 9 2	454 328 121 142 88 45 86 60 18 17 64	248 154 61 74 53 18 46 30 8 12 35	206 174 60 68 35 27 40 30 10 5 29	83·06 112·99 98·36 91·89 66·04 150·00 86·96 100·00 125·00 41·66 82·86
Тотац	181	163	344	180	141	321	183	183	366	197	195	392	1423	739	684	92.56

MARRIAGES.

TABLE No. 3.

Showing the Number of Marriages registered in each District of the Colony of Queensland, during the year 1861, and the religious rites according to which they were solemnized.

Di	ISTRICT,		Church of England.	Church of Rome.	Presbyterians.	Wesleyan Methodists.	Independents.	Baptists.	Lutheran.	Congregationalists.	Registration Offices.	TOTAL,
Brisbane			19	18	20	16	2	12	4	16	5	113
Ipswich		1	 10	32	14	11		1		2	2	72
Warwick			 8		11						2	21
Drayton			 13		1				1	8		23
Dalby			 11	1						1	1	14
Condamine			 3	1	1						1	6
Gayndah			 5	5				2			8	20
Maryborough			 3	4				1			7	15
Taroom			 						••• , , ,		1	1
Port Curtis			 4								3	7
Rockhampton	1		 4							3	20	27
Kennedy	•••		 								1	1
ŗ	Готац		 80	61	47	27	2	16	5	30	31	320

DEATHS.

TABLE No. 4.

The following table shows the proportion of Deaths registered in each quarter during the year 1861.

								DEAT	HS, 18	861.						
DISTRICT.	1sT	QUAR	TER.	2ND	QUAR	TER.	3RD	QUAR	TER.	4тн	QUAR	rer.	r.		ž.	f each
DISTRICT.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Males.	Females.	Total.	Total of Year.	Total Males.	Total Females	Proportion of Females to each 100 Males.
Brisbane Ipswich Warwick Drayton Dalby Condamine Gayndah Maryborough Taroom Port Curtis Rockhampton Kennedy	27 15 5 12 7 3 7 6 2 2 9	17 11 6 2 5 2 1 1 	44 26 11 14 12 5 8 7 2 2 11	25 16 2 18 3 5 10 1 3 2 5 1	8 3 4 5 3 1 2 2 2 2	33 19 6 23 6 6 12 3 3 2 7	17 13 1 7 5 4 5 2 5 2 10	9 9 6 2 2 1 2 	26 22 7 9 5 6 6 2 7 2 10	30 28 3 6 2 1 9 1 4 1 10 5	11 13 1 3 1 1 4	41 41 6 5 2 9 2 4 1 14 5	144 108 28 52 28 19 35 14 16 7 42 6	99 72 11 43 17 13 31 10 14 7 34 6	45 36 17 9 11 6 4 4 2	45·45 50·00 154·54 20·93 64·70 46·15 12·90 40·00 14·29 00·00 23·53
TOTAL	 95	47	139	91	30	121	71	31	102	100	34	134	499	356	143	40.17

No. 1 of Table No. 5.

SUMMARY of DEATHS of Males registered in Queensland, from 1st January, 1860, to 31st December, 1860.

. Causes of Death.	7	Under I year.		3 to 4.	4 to 5.	Total under 5 years	5 to 10.	to	00	20 to 25.	2 4	40	to	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	5.	Total.	Per centage on total Deaths of Males.
1. Zymotic Diseases]	141	2 1			27	2			1	2	3	5 1	2	1	1										45	14.02
3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes		228 220 5 1 8 2 4	44	1	 1	32 24 6 1 13 1 7 5		1.			2 5 3 1	33 22 3 3 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	3 3 3 3 3 3 3 4 1	3 1 1 1	4 1 3 2 1 3 2 2	1	1 1 3	2 2	3		1				2 1 6 4	36 38	16·82 11·22 11·84 5·29 8·10 0·31 1·21 2·80 21·49 6·85
Total from all Causes	8	32 2	5 4	3	2	116	5	1	5 1	5 1	8 20	6 28	3 22	18	17	11	14	4	4		2				15	321	99.95

No. 2 of Table No. 5.

SUMMARY of DEATHS of FEMALES registered in Queensland, from 1st January, 1860, to 31st December, 1860.

Causes of Death.	Under 1 year.	to 2.	to	3 to 4.	4 to 5.	ota	5 to 10.	to	to	to	25 to 30.	30 to 35.	35 to 40.	to	to	to	to	to	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	٠.	Total.	Per centage on total Deaths of Females.
1. Zymotic Diseases	12	2 11	4	ł	1	28	2			3		5	2		1	2			,					9		1	44	28.03
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory Organs 5. Of Circulatory Organs 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Of Old Age 12. External Causes *Unspecified	13 19 2 5 1 7	3 1		1		3 9	1	1 1	 1 1	1 1 1 1 1	1 1 2 1 1	1 1 1 1	1	2 1 2 1	1 1	 1 1 1		1									25 28 11 2 12 6 1 16 12	15·92 17·83 7·00 1·27 7·64 0·63 10·19 7·64
Total from all Causes	- 59	29	12	2	5	99	5	3	2	10	6	9	5	6	4	6		1							-	1	157	99.97

No. 3 of Table No. 5.

SUMMARY of TOTAL DEATHS registered in Queensland, from 1st January, 1860, to 31st December, 1860.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	to	to	20 to 25.	to	30 to 35.	35 to 40.	to	to	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Grand Total.	Per centage of total Deaths.
1. Zymotic Diseases	26	23	5		1	55	4			4	2	8	7	1	3	3	1									1	89	18:62
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory Organs 5. Of Circulatory Organs 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs	41 39 7 1 13	6 2				50 47 9 1 22	1	1 1	1	2 7 2 1 1	1 3 7 3 1 	3 3 7 2 1	3 1 7 3 2 	3 3 2 3 4 1	1 3 1 1 	4 1 4 2 2 	2 1			1		 1				2 2 1	79 64 49 19 38 1 6	16:53 13:38 10:25 3:97 7:95 0:21 1:25
9. Of Locomotive Organs 10. Of Integumentary System 11. Of Old Age 12. External Causes Unspecified	3	1 2	6	2	1 5	1 17 13	 3 1	1	 4 1		 4 2	1 9 1	 8 1	 2 7 2	7 4	3	2	 1 3 5	2 2	3		1				6 4	5 9 85 34	1·05 1·88 17·78 7·11
Total from all Causes	141		1	1	85774.8	215		1		1			-	- 1	22	-		15 e C	4 olor	4 ay.		2				16	478	99.98

^{*} The unspecified causes of Death are all from the country parts of the Colony

No. 4. of Table No. 5.

Table showing the actual Number of Deaths of Males and Females in each Class, registered in Queensland, during each of the several Months from 1st January to 31st December, 1860, together with the average per centage of the Total Deaths of each Class.

	JAI	N. 1	FEB.	MA	AR.	APR	IL	MA	y. J	UNI	E. J	ULY	7.	AUG	. s	EPT	. 0	CT.	N	ov.	Di	EC.	Тот	AL.		of of the of
CAUSES OF DEATH,	Males.	Females.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Melos.	Formelog	Meles.	Formelos	Wales	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total.	Per centage Total Death the Class.
1. Zymotic Diseases	 5	7	5 5	4	7	4	4	5	4	2	1	4	2	1	4	2 5	2 5	5 2	6	4	2	2	45	44	89	18.62
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified Total from all Causes	 6 4 4 1 1 1 7 4 - 33	41	11 55 11 11 11 11 11 11 11 11 11 11 11 1	7 1 2 2	1 1 4	3 1 2 5 3	1 1 1 1 1 1 9	7 5 1 2 1 2 4 27	6 3 1 2 1 2 1 19	4 1 4 1 2 2 3 19	1	- -	4 1 1 2 2	2 3 2 3 3	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 2 1 1 5 5 6		3 2 1 4 1 2 2	2 6 1 1 1 1 5	1 6	1 2 3 4 7 1	3 3 1 1 	36 38 17 26 1 4 9 69 22	28 11 2 12 6 16 12	64 49 19 38 1 6 5 9 85 34	13:39 10:25 3:97 7:95 0:23 1:25 1:05 1:88

No. 5 of Table No. 5.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease, in Queensland, during the year 1860.	Total No. of Deaths in each Class.
1	Typhus Fever, 1; Rheumatic Fever, 1; Nervous Fever, 1; Puerperal Fever, 1; Bilious Fever, 1; Gastric Fever, 4; Hooping Cough, 9; Fever, 9; Dysentery, 20; Diarrhæa, 16; Blood poisoned by animal matter, 1; Croup, 2; Influenza, 9; Measles, 5; Thrush, 2; Diptheria, 4; Cholera, 1; Pyaimia, 1; Inflammation after Childbirth, 1	89
2	Abscess, 2; Atrophy, 12; Decline, 4; Dropsy, 10; Malformation, 3; Marasmus, 8; Natural Causes, 10; Premature Birth, 7; Weakness of Lungs, 1; Debility, 14; Hæmorrhage, 2; Rupture of Blood Vessel, 2; Sudden Death, 2; Visitation of God, 1; Water on the Chest, 1	79
3	Apoplexy, 3; Brain Fever, 2; Congestion of Brain, 4; Convulsions, 41; Fits, 6; Paralysis, 2; Puerperal Mania, 1; Disease of Brain, 2; Hydrocephalus, 2; Tetanus, 1	64
4	Asthma, 3; Cold on the Lungs, 3; Consumption, 24; Phthisis, 6; Pneumonia, 3; Bronchitis, 5; Pleurisy, 1; Inflammation of Lungs, 2; Malignant Sore Throat, 2	49
5	Aneurism, 4; Disease of Heart, 11; Enlargement of Heart, 2; Hypertrophy of Heart, 1; Pericarditis, 1	19
6	Cancer in Stomach, 2; Gangrene of Scrotum, 1; Hernia, 2; Inflammation of Bowels, 7; Jaundice, 2; Liver Complaint, 3; Teething, 15; Cramp in Stomach, 2; Organic Disease of Stomach, 1; Chronic Gastritis, 1; Entritis, 1; Peritonitis, 1	38
7	Disease of Kidneys, 1	. 1
8	Amenorrhæa, 1; Disease of Uterus, 1; Cancer of Womb, 1; Childbirth, 2; Syncope after Parturition, 1	6
9		
10	Seurvy, 5	5
11	Old Age, 3; General Debility, 5; Poverty of Blood, 1	9
12	Burned, 9; Drowned, 22; Effects of Drink, 4; Executed, 1; Exhaustion after Childbirth, 1; Sunstroke, 8; Accidental Falls from Horse, Dray, &c., &c., 8; Accidental Injuries, 19; Suicide, 5; Surgical Operation, 1; Murdered, 7	85
	Unspecified	34
	Total from all Causes	478

No. 1 of Table No. 6.

SUMMARY of Deaths of Males registered in the Colony of Queensland, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	to	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	to	25 to 30.	30 to 35.	35 to 40.	40 to 45.	to	50 to 55.	55 to 60.	60 to 65.	65 to 70.	to	75 to 80.	80 to 85.	85 to 90.	90 to 95.	-	5.	Total Males.	Per centage on total Deaths of Males.
1. Zymotic Diseases	 16	10	2	1	1	30		·		1	3		1	2	2	1	2										42	11.79
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	15 25 11 7 1 1 1 4	 2 6 2 2		1 1	1 1	15 27 16 13 1 1 1 3 4		1 4	1 5	1 2 8	1 2 3 1 1 5 	6 1 10 2 1 1 1 9 2	3 7 2 3 2	6 2 4 1 6 	5 3 4 3 3 4 2	3 1 1 1 1 1 3 1	1 1 2	3 1 2 1 1 1 1 2	2	1	1	1				1 2 2 12 2	34 5 5 6 96	13·20 10·39 15·45 3·65 9·55 1·40 1·40 1·69 26·97 4·49
Total from all Causes	 81	20	3	3	3	110	8	5	6	16	26	33	31	36	26	13	7	12	3	2	1	1				20	356	99.98

No 2 of Table No. 6.

SUMMARY of DEATHS of FEMALES registered in the Colony of Queensland, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	-		3 to 4.	4 to 5.	Total under 5 years		to	to	to	to	to	35 to 40.	to	to	to	to	to	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	2	Total Females.	Per centage on total Deaths of Females.
1. Zymotic Diseases	10	0 7	7 2	1		20	1		1			1	1														24	16.78
3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified		1 1 2 1 1 2 1	1 3 4 1 4	1	1	14 25 15 5 4 3	1	1	1 1 1 1 1 2 2	1 1 1 1 1 2	1 2 1 1 3	1 1 1 1 1 1 1 1	1 2	1	2	1 1 1 1 1	1		····	1		1				1	20 29 24 4 6 1 6 1 23 5	13·99 20·28 16·78 2·79 4·19 0·69 4·19 0·69 16·08 3·50
Total from all Causes	55	5 21	1 3	4	3	86	6	2	7	5	8	7	5	1	3	4	1		1	1		1				5	143	99.96

No. 3 of Table No. 6.

SUMMARY of DEATHS of Males and Females registered in Queensland, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	to	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Grand Total.	Per centage on total Deaths of Males and Females.
1. Zymotic Diseases	 26	17	4	2	1	50	1		1	1	3	1	2	2	2	1	2										66	13.23
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	26 46 20 8 1 1 2 6	3 6 10 	2	2 1	2	52	1		1 1 1 1 7	2 10	1 1 1 1 18	1 11 3 1 1 1 10 3	1	2 4 1 6 1 14 1	5 4 3 3 5 2	1 1 3 1	1	3 1 1 1 1 1 2	1 2 1	1 2	1	1 1				2 1 16 2	67 66 79 17 40 6 6 7 119 21	15·83 3·40 8·02 1·20 1·20
Total from all Causes	 136	41	6	7	6	196	14	8	14	21	34	40	36	37	29	17	8	10	4	5	1	2				23	499	100.00

No. 4 of Table No. 6.

Table showing the actual Number of Deaths of Males and Females in each Class, registered in the Colony of Queensland, during each of the several Months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of each Class.

*	JA	.N.	FEB	. М	AR,	API	RIL	MA	Υ.	Jun	Œ.	Jui	Υ.	Au	G.	SEI	PT.	Oc	т,	No	v.	Di	ec.	Тот	AL.	l.	of hs of
CAUSES OF DEATH.	Males.	Females.	Males.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage Total Deat the Class.
1. Zymotic Diseases	 7	3	3	2 5	5	4	1	4	1	1	3		1	2	1	4	1	2		4	1	6	5	42	24	66	13.23
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	 7 2 6 1 2 2 7 1	1 3 2 1 2 	5 2 2 2	33 4 33 5 22 2 11 7 11 2 11 2 11 2	1	4 5 1 4 	1 2 1 1	6 5 12 2 3 1 5 2	2 2 1 1	4 3 3 1 1 	3 2 3 1 1 1 1 1 1	4 3 1 2 1 1 8	3 4 2 1	4 2 5 1 1 3	1	3 3 6 4 16 2	3 2 1 1 4	3 4 6 1 2 1 9 2	2 1 5 1	3 3 4 1 4 1 11 2	1 1 1 2 1	5 1 2 1 3 1 16 	2 6 1 1 	47 37 55 13 34 5 5 6 96 16	20 29 24 4 6 1 6 1 23 5	67 66 79 17 40 6 6 6 7 119 21	13·43 13·23 15·83 3·40 8·02 1·20 1·20 1·00 1·40 23·85 4·21
Total from all Causes	 35	15	23 1	5 36	18	32	7	40	7	18	16	20	11	18	8	38	12	28	9	33	7	35	17	356	143	499	100.00

No. 5 of Table No. 6.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhœa, 10; Measles, 6; Dysentery, 10; Fever, 6; Hooping Cough, 12; Gastric Fever, 5; Bilious Fever, 1; Croup, 6; Rheumatic Fever, 2; Puerperal Fever, 2; Syphilis, 2; Influenza, 2; Erysipelas, 1; Apthce, 1	66
2	Premature Birth, 9; Atrophy, 4; Debility, 14; Cancer of Tongue, 1; Marasmus, 6; Hæmoptysis, 2; Malformation, 2; Dropsy, 8; Hæmorrhage, 1; Natural Causes, 11; Hydrothorax, 1; Tumors, 2; Hepatytis, 2; Rupture, 1; Rheumatism, 2; Dead Fætus, 1	67
3	Convulsions, 45; Paralysis, 1; Epileptic Fits, 5; Tetanus, 1; Hydrocephalus, 5; Spina bifida, 1; Disease of Brain, 7; Apoplexy, 1	66
4	Inflammation of Lungs, 8; Asthma, 6; Consumption, 19: Inflammation of Windpipe, 2; Pleuritis, 2; Bronchitis, 4; Phthisis, 12; Tubercular Disease of Chest, 6; Catarrh, 3; Disease of Lungs, 11; Ulcerated Sore Throat, 1; Pneumonia, 1; Diptheria, 1; Laryngitis, 1; Cold, 2	79
5	Disease of Heart, 13; Aneurism, 3; Strangulated Vernia, 1	17
6	Teething, 12; Liver Complaint, 9; Misenteric Disease, 3; Gastritis, 2; Inflammation of Bowels, 4; Peretonitis, 1; Jaundice, 3; Cholera, 3; Cancer in Stomach, 1; Entritis, 2	40
7	Brights' Disease, 1; Stricture of Urethra, 2; Disease of Kidneys, 2; Diabetes, 1	6
8	Rupture of Uterus, 1; Child Birth, 5	6
9		0
10	Seurvy, 4; Scrofula, 1	5
11	Old Age, 5; Debility, 2	7
12	Drowned, 42; Sunstroke, 13; Intoxication, 7; Falls from Horses, Drays, &c., &c., 12; Wounds from Fire-arms, 9; Neglect in Confinement, 1; Miscellaneous Accidents, 18; Burns or Scalds, 5; Sudden Death, 1; Poison, 2; Stabbed, 5; Suicide, 2; Murdered, 2	119
	Unspecified, 21	21
	Total from all Causes	499

No. 1 of Table No. 7.

SUMMARY of DEATHS of MALES registered	in the District of Br	RISBANE from 1st Jan	uary, 1861, to 31st December, 1861.

Causes of Death.	1	Under 1 year.	1 to 2.	100	100	Total under 5 years	5 to 10.	to	to	to	to	to	35 to 40.	to	to	to	55 to 60.	60 to 65.	40	o to	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	9:	Total.	Per centage on total Deaths of Males.
1. Zymotic Diseases		7	6	1	. 1	15								1	1		1										18	18.18
7. Of Urinary Organs 8. Of Generative Organs		8.3.3.4	5		. 1	5			1	 1	1	1 6 2	1 1	2 1	1 1 2 1	1 1 1	 1	1 1 	 1	 1						1	14 7 17 5 15 2	14:14 7:07 17:17 5:05 15:15 2:02
11. Old Age 12. External Causes			1			1	3	3		1	··· 2	 1 2			 2	1	•••	•••	•••	1						4	2 19	2·02 19·19
Total from all Causes	2	25 1	3	1	2	41	3	3	1	2	3	12	3	4	9	4	2	3	1	2						6	99	99.99

No. 2 of Table No. 7.

SUMMARY of DEATHS of FEMALES registered in the District of Brisbane, from 1st January, 1861, to 31st December, 1861,

Causes of Death.		1 to 2.	to	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	to	10	to	to	to	to	75 to 80.	to	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Females.							
1. Zymotic Diseases	 5	2	1	1		9			1																		10	22.22
Sporadic Diseases.		-			-	_				-		-					-											
2. Of Uncertain Seat	 3	1			1	5				1		1					1										8	17.77
3. Of Nervous System	 4			1		5	1									1											7	15.55
4. Of Respiratory Organs	 2	1			1	4			1						1												6	13.33
5. Of Circulatory Organs	 										1					1											2	4.44
6. Of Digestive Organs	 1	3				4			1																		5	11.11
7. Of Urinary Organs	 						. 発.		1																		1	2.22
8. Of Generative Organs	 													1													1	2.22
9. Of Locomotive Organs	 								,																			
10. Of Integumentary System	 																		006									
11. Old Age	 1																			1							1	2.22
2. External Causes	 			1		1			1	1					1												4	8.88
Unspecified	 																					:						
Total from all Causes	 15	7	1	3	2	28	1		5	2	1	1		1	2	2	1			7							45	99.90

No. 3 of Table No. 7.

SUMMARY of TOTAL DEATHS registered in the District of BRISBANE, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	0 10	to	to	to	to	30 to 35.	35 to 40.	40 to 45.	to	to	to	to	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	5	Females Age	all	Grand Total.	Per centage of total Deaths.
1. Zymotic Diseases	12	8	2	1	1	24			1					1	1		1										10	18	28	19.44
Sporadic Diseases. 2. Of Uncertain Seat	111 77 55 55	2		1	2	13 8 9 13 2	1	3	 2 1 1 1	1 1 2		2	1 1 1	1 1	1 2 1 2 1 	2	1	1 1	1	1 2						1 1 4	8 7 6 2 5 1 1 1 4	14 7 17 5 15 2 2 19	22 14 23 7 20 3 1 	15·28 9·72 15·97 4·86 13·89 2·08 ·69 2·08 15·97
Total from all Causes	40	20	2	3	4	69	4	3	6	4		- 13	 3	5	·· 11	6	3	3	 1	3						6	 45		144	99.98

No. 4. of Table No. 7.

ABLE showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Brisbane, during each of the several Months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

	JA	N.	FE	В.	MA	R.	APR	IL	MA	Y.	Jun	VE.	Ju	LY.	At	rG.	SE	PT.	Oc	т.	No	v.	DE	CC.	Тот	AL.		of of or of
Causes of Death.	Males.	' Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage total Death
1. Zymotic Diseases	 5	2	3	1		2	2	1	2		1			1	1			1	1		2		1	2	18	10	28	19.44
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Syste 11. Old Age 12. External Causes Unspecified 13. Of Uncertain System 14. Old Age 15. Old Age 16. Old Age 17. Old Age 18. Old Age 19. Old	 41 1 22	2	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 4 1 1	1	2 2	1	1 1 5 1 2 1 1		1	1	1	2	3 1	1 1	1 1 2 1 	1 1 1	1 1 1 1 2	1	1 1 1 2 1 3	i ::	1 1 2 4		14 7 17 5 15 2 2 19	7 6 2 5 1 1 	22 14 23 7 20 3 1 	15·28 9·72 15·97 4·86 13·89 2·08 0·69
Total from all Causes	 13	8	6	5	8	4	9	3	14	4	2	1	3	3	9	2	6	4	9	2	11	2	10	7	99	45	144	99.98

No. 5 of Table No. 7.

Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Diarrhoea, 5; Measles, 6; Dysentery, 2; Fever, 3; Hooping Cough, 3; Gastric Fever, 5; Bilious Fever, 1; Croup, 2; Rheumatic Fever, 1	28
2	Premature Birth, 4; Atrophy, 2; Cancer of Tongue, 1; Debility, 3; Marasmus, 4; Hæmoptysis, 1; Malformation, 1; Dropsy, 3; Hæmorrhage, 1; Natural Causes, 1; Hydrothorax, 1	22
3	Convulsions, 5; Paralysis, 1; Epileptic Fits, 3; Tetanus, 1; Hydrocephalus, 3; Spina bifida, 1	14
4	Inflammation of Lungs, 3; Asthma, 3; Consumption, 3; Inflammation of Windpipe, 1; Pleuritis, 1; Bronchitis, 2; Phthisis, 5; Tubercular Disease of Chest, 2; Catarrh, 2; Congestion of Lungs, 1	23
5	Disease of Heart, 5; Aneurism, 1; Strangulated Vernia, 1	7
6	Teething, 8; Liver Complaint, 5; Mesenteric Disease, 3; Gastritis, 1; Inflammation of Bowels, 1; Peretonitis, 1; Jaundice, 1	20
7	Brights' Disease, 1; Stricture of Urethra, 1; Disease of Kidneys, 1	3
8	Dead Fœtus, 1	1
9		
10		
11	Old Age, 3	3
12	Drowned, 13; Sunstroke, 1; Accident (fall from horse), 1; Intoxication, 4; Gunshot, 1; by a Fall from Ladder, 1; Kick from Horse, 1; Neglect in Confinement, 1	23
	Total from all Causes	144

No. 1 of Table No. 8.

Summary of Deaths of Males registered in the District of Ipswich, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	to	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	to	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	to	to	50 to 55.	to	60 to 65.	to	to	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total Males.	Per centage on total Deaths of Males.
1. Zymotic Diseases	 5	2	1	1		9											1										10	13.89
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	 5 10 3	1		1		5 11 3 1 1		1	1	1	2		1 1 2	1 1	1 1 1 1	1	2	1								2	11 13 14 1 5 1 	15·28 18·05 19·44 1·39 6·94 1·39 1·39 19·44 2·78
Total from all Causes	 24	3	1	2		30	1	2	1	3	4	1	6	10	4	3	3	2								2	72	99.99

No. 2 of Table No. 8.

Summary of Deaths of Females registered in the District of Ipswich, from 1st January, 1861, to 31st December, 1861.

Causes of Death.		Under 1 year.	to	to	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	to	to	to	30 to 35.	to	to	to	to	to	to	to	to	to	to	to	to	95 to 100.	?	Total Females.	Per centage on total Deaths of Females.
1. Zymotic Diseases	,.,	3	2				5							1														6	16.67
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs		1 8 4 · · · · · · · · · · · · · · · · · ·	2				8 6				1 1 	2	1	1			1			1								2 10 10 2 	
 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified 			1				1	1				2											1					5	13.88
Unspecified Total from all Causes		16	5	,			21	1			2	4	1	3	···		2			1			1					36	100.00

No. 3 of Table No. 8.

SUMMARY of TOTAL DEATHS registered in the District of Ipswich from 1st January, 1861, to 31st December, 1861.

			year.					der 5 years																				0	Tot of Ag	all	Total.	ge on eaths es and
	Causes of Death.		1.	to	to	3 to 4.	4 to 5.	lun	5 to 10.	to		20 to 25.		to	35 to 40.	to	45 to 50.	to	85 to 90.	90 to 95.	95 to 100.		Females.	Males.	pu	Per centage total Do of Male Females						
1	7		8	1	1	1		14							1				1										0	10	16	14,01
1.	. Zymotic Diseases		0	4	1	1		14							1				1										6	10	16	14.81
3. 4. 5. 6. 7. 8. 9.	Of Circulatory System Of Digestive Organs Of Urinary Organs Of Generative Organs Of Locomotive Organs Of Integumentary System Old Age		6 18 7 			i		6 19 9 1		1		1	4	1 1	1 2 2 2 1 2	1 2 1 1 	1	3		1	1						•••		2 10 10 2 1 5	11 13 14 1 5 1 	13 23 24 3 5 1 1 	0.93 0.93 0.93
	Unspecified			1.		11	1										1			1						1				2	1,000,000	1.85
	Total from all Causes	,,,	39	8	1	2		50	2	2 2	1	5	8	3 2	3	10	4	5	3	2	1			1				3	36			100.00

No. 4 of Table No. 8.

Table showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Ipswich, during each of the twelve Months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

		JA	AN.	Fi	EB.	MA	R.	Ари	RIL	MA	Y.	Jui	NE.	Jui	LY.	At	JG.	SEI	PT.	Oc	ct.	No	ov.	Di	EC.	Тот	AL.		of s of
Causes of Death.	, pry	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage of total Deaths of the Class.														
1. Zymotic Diseases			1				1			2			1			1	1	3				2	1	2	1	10	6	16	14.81
4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Syste 11. Old Age 12. External Causes Unspecified		22	1	1 1	1	12233	1	1		2 2		2		1	2 2		 2 1 	2 1 2 1		 4 4 1 1		2 1 1 2	1	3	2 1	11 13 14 1 5 1 1 14 2	2 10 10 2 1 5	13 23 24 3 5 1 1 1 19 2	12·04 21·29 22·22 2·78 4·63 0·93 0·93 0·93 17·59 1·85
Total from all Causes		4	4	3	2	8	5	5		7		4	3	2	5	2	4	9		10	5	8	3	10	5	72	36	1.08	100.00

No. 5 of Table No. 8.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Dysentery, 2; Hooping Cough, 6; Croup, 3; Puerperal Fever, 1; Syphilis, 1; Influenza, 1; Diarrhœa, 2	16
2	Natural Causes, 6; Hœmoptysis, 1; Tumora, 2; Premature Birth, 2; Dropsy, 1; Marasmus, 1	13
3	Convulsions, 16; Diseases of Brain, 5; Epileptic Fits, 2	23
4	Consumption, 4; Disease of Lungs, 6; Inflammation of Throat, 1; Asthma, 1; Disease of Chest, 4; Pleuritis, 1; Phthisis, 7	24
5	Disease of Heart, 3	3
6	Liver Complaint, 1; Teething, 1; Cholera, 1; Cancer in Stomach, 1; Entritis, 1	5
7 8 9	Stricture of Urethra, 1	1
8	Rupture of Uterus, 1	1
9		
10		
11	Debility, 1	1
12	Intoxication, 3; Sunstroke, 5; Struck by Lightning, 1; Fracture of Spine, 1; Scald, 1; Accidental, 2; Injuries to Head, 1; Drowned, 3; Fall from Horse, 1; Gunshot, 1	19
	Unspecified, 2	2
	Total from all Causes	108

No. 1 of Table No. 9.

SUMMARY of DEATHS of Males registered in the District of Warwick from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	to	20 to 25.	to	30 to 35.	35 to 40.	40 to 45.	to	50 to 55.	55 to 60.	60 to 65.	65 to 70.	o to	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Males.
1. Zymotic Diseases	 									1																	1	9.09
Sporadic Diseases.																												
2. Of Uncertain Seat	 																											
3. Of Nervous System																												
4. Of Respiratory System	 											1															1	9.09
5. Of Circulatory System	 												1														1	9.09
6. Of Digestive Organs	 1					1																					1	9.09
7. Of Urinary Organs	 																											
8. Of Generative Organs	 																											
9. Of Locomotive Organs	 																											
10. Of Integumentary System	 																											• •
11. Old Age	 										1																1	9.09
12. External Causes	 						1		2				1													1	5	45.45
Unspecified	 													1													1	9.09
Total from all Causes	 1					1	1		2	1	1	1	2	1												1	11	99.99

No. 2 of Table No. 9.

SUMMARY of DEATHS of FEMALES registered in the District of WARWICK, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.			to	4 to 5.	Total under 5 years	5 to 10.	to	to	to	100	to	to	to	to	to	10	to	to	to	to	to	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths
Zymotic Diseases			1			1																					1	5.88
Sporadic Diseases.	AF	W																										
2. Of Uncertain Seat	3	3	111	ANT	1.	3																					3	17.6
3. Of Nervous System	0	1	AN	1.	1	2																					2	11.7
. Of Respiratory System			ANT	1											1												1	5.8
Of Circulatory System		1.7																										
6. Of Digestive Organs		1	1		1	1																					1	5.8
. Of Urinary Organs			AW		1																							
3. Of Generative Organs			ANT	111	1.11						1	1															2	11.7
O. Of Locomotive Organs			A																									
O. Of Integumentary System			AW		1																							
Old Age		17	M		1																							
2. External Causes	ANY	1	AN	1			1			1		1														4	7	41.1
Unspecified	A	1	1.7																									
Total from all Causes	5	- 7	17			7	1	-	-	1	1	2			7									-	-	1	17	99.9

No. 3 of Table No. 9.

Summary of Total Deaths registered in the District of Warwick, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.		Under 1 year.	1 to 2.	to	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.		30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.		Total.	Per centage of total Deaths.
1. Zymotic Diseases				1			1				1																	2	7.14
5. Of Circulatory System 6. Of Digestive Organs	••	3 2 1	1			••	3 2 2			•••			1	1		1		•••	••	•••							•••	3 2 2 1 2	10·72 7·14 7·14 3·57 7·14
8. Of Generative Organs												1	1															2	7:14
10. Of Integumentary System 11. Old Age			•••					2		2	1	1	1	1	1	•••	•••				•		• • • • • • • • • • • • • • • • • • • •				5	1 12 1	3.57 42.86 3.57
Total from all Causes		6	1	1			8	2		2	2	2	3	2	1	7											5	28	99.99

No. 4. of Table No. 9.

TABLE showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Warwick, during each of the twelve Months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

	JAI	N.	FEI	В.	MA	R.	API	RIL	MA	AY.	Jui	NE.	Ju	LY.	Au	IG.	SE	PT.	Oc	T.	No	v.	DE	EC.	Тот	AL.		of of his of
CAUSES OF DEATH.	Males.	Females.	Grand Total.	Per centage total Deaths																								
Zymotic Diseases	 				1	1																			1	1	2	7.14
Sporadic Diseases.																												
. Of Uncertain Seat						1												1								2	2	7.14
Of Nervous System			1	1				1						100											1	2	3	10.75
Of Respiratory System	 								•														•		1		1	3.57
Of Circulatory System	 			1															•		1				1	1	2	7.14
Of Digestive Organs	 											1														1	1	3.57
Of Urinary Organs	 																											
Of Generative Organs	 			1				1								1										3	3	10.72
Of Locomotive Organs	 																											
Of Integumentary System	 																											
Old Age	 						1																		1		1	3.57
External Causes	 		1		1	1	1			1								4	1		1	1			5	7	12	42.86
Unspecified	 1																								1		1	3.57
Total from all Causes	 1		2	3	2	3	2	2		1		1				1	1	5	1		2	1			11	17	28	99.99

No. 5 of Table No. 9.

Class of Disease.	Names of Diseases, and	Number	of Dea	ths from	m each	Diseas	e.		Total No. of Deaths in each Class.
1	Fever, 1; Hooping Cough, 1								 2
2	Debility, 2; Natural Causes, 1								 3
3	Convulsions, 2								 2
4	Disease of the Lungs, 1; Consumptio	n, 1							 2
5	Disease of Heart, 1								 1
6	Teething, 2								2
7									
8	Childbirth, 2								 2
9									
10									
11	Old Age, 1								 1
12	Sunstroke, 1; Accidental, 1; Burnt, 3	; Drowne	ed, 5;	Sudden	Death	, 1 ; M	iscarria	ge, 1	 12
	Unspecified, 1								 1
	To	tal from a	ll Caus	es					 28

No. 1 of Table No. 10.

Summary of Deaths of Males registered in the District of Drayton and Toowoomba, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	to	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	to	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Males.
1. Zymotic Diseases	 1					1							1	1	1												4	9.30
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes	 1 4 2 1 1					1 5 2 1 					1	1	2 1 2 		1		1	1								1	5 5 6 1 5 1 2 1 7	11·63 11·63 13·95 2·33 11·63 2·33 4·65 2·33 16·28
Unspecified	 3					3						1	1								1						6	13.95
Total from all Causes	 13				1	14				1	3	3	7	5	3	2	1	2			1					1	43	100:01

No. 2 of Table No. 10.

Summary of Deaths of Females registered in the District of Drayton and Toowoomba, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	to	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	to	15 to 20.	to	30 to 35.	35 to 40.	40 to 45.	to	50 to 55.	155 to 60.	to	to	to	75 to 80.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Females.
1. Zymotic Diseases	 	1				1					 1										 				2	22.22
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System	 2	1				2 2					 					**		•••			 				2 2	22·22 22·22
4. Of Respiratory System5. Of Circulatory System	 					•••					 										 				• •	
6. Of Digestive Organs	 										 										 					
7. Of Urinary Organs 8. Of Generative Organs	 					• • • •			1		 	1									 				2	22.22
9. Of Locomotive Organs 10. Of Integumentary System	 										 										 					
11. Old Age	 			4.					1												 					11.12
Unspecified	 								1		 										 					
Total from all Causes	 3	2				5			2		 1	1									 				9	100.00

No. 3 of Table No. 10.

Summary of Total Deaths registered in the District of Drayton and Toowoomba, from 1st January, 1861, to 31st December, 1861.

Causes of Death	н.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	to	55 to 60.	to	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Males and Females.
1. Zymotic Diseases		 1	1				2						1	1	1	1												6	11.54
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Syst 11. Old Age 12. External Causes Unspecified		3 5 2 2 1 (1 3 3				i 1	1			1	. 1	1	1 1 1 1	2 1 2 1		1	1 1 1	1	1			1					····	7 7 6 1 5 1 2 2 2 8	1·92 9·62 1·92 3·84 3·84 3·84 13·46
Total from all Causes		 16	-			1	19	-		2	2]	3	5	8		3	2	1	2		-	1					1		
		1		-	-	-	_	1			1		1	1	1		1			-	1	1	1	1	1		1		

No. 4. of Table No. 10.

TABLE showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Drayton and Toowoomba, during each of the twelve months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

	JA	N.	FE	В.	MA	R.	APR	RIL	MA	Y.	Jui	VE.	Ju	LY.	Ατ	IG.	SE	PT.	Oc	T.	No	v.	Di	EC.	Тот	AL.		jo sq
Causes of Death.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage total Deaths
1. Zymotic Diseases	 2						2			1		1													4	2	6	11.54
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	 1 1 1		•••		1 1 1	1							1 1 1		1		1 2 1		··· ··· 1				1		$ \begin{array}{ccccccccccccccccccccccccccccccccccc$	2 2 2 1	$7 \\ 7 \\ 6 \\ 1 \\ 5 \\ 1 \\ 2 \\ \cdots \\ 2 \\ 7 \\ 6$	13·46 13·46 11·54 1·92 9·61 1·92 3·85 3·85 3·85 13·46 11·54
Total from all Causes	 7				4	2	<u>-</u>		10	1	3	4	3	-	1	_ 1	4	1	3		1		2	-	43	9	52	100.00

No. 5 of Table No. 10.

Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Dysentery, 2; Rheumatic Fever, 1; Diarrhæa, 1; Puerperal Fever, 1; Hooping Cough, 1	6
2	Debility, 1; Premature Birth, 2; Malformation, 1; Dropsy, 2; Marasmus, 1	7
3	Convulsions, 6; Hydrocephalus, 1	7
4	Ulcerated Sore Throat, 1; Consumption, 1; Inflammation of Lungs, 2; Pneumonia, 1; Hypertrophia Hypatis, 1	6
5	Disease of Heart, 1	1
6	Diseased Liver, 2; Jaundice, 2; Teething, 1	5
7	Disease of Kidneys, 1	1
8	Childbirth, 2	2
9		
10	Seurvy, 2	2
11	General Debility, 1	1
12	Fall from Horse, 1; Exposure, 1; Fracture of Vertebra, 1; Drowned, 1; Staked, 1; Poison, 1; Fracture of Skull, 1; Stabbed, 1	8
	Unspecified, 6	6
	Total from all Causes	52

No. 1 of Table No. 11.

SUMMARY of DEATHS of Males registered in the District of Maryborough, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	07	2 to 3.	to	4 to 5.	Total under 5 years	0 1	to	to	to	to		35 to 40.	40 to 45.	to	to	to	to	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths
1. Zymotic Diseases	 																										•••	• •
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	1	••		1		1 1 			•••			•••		•••								1				··· ·· · · · · · · · · · · · · · · · ·	1 2 1 1 1 3	10·00 20·00 10·00 10·00 10·00 30·00
Total from all Causes	 3		, .	1		4				1		1										1				3	10	100.00

No. 2 of Table No. 11.

SUMMARY of DEATHS of Females registered in the District of Maryborough, from 1st January, 1861, to 31st December, 1861

		0																												
Causes of Death			Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	to	to	to	30 to 35.	to	40 to 45.	to	50 to 55.	to	60 to 65.	65 to 70.	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	9.	Total.	Per centage on total Deaths of Females.
																	-		-						4					
1. Zymotic Diseases			1	1				2																					2	50.00
Sporadic Diseases																														
2. Of Uncertain Seat	•																													
0 00 37 0 1																														
4. Of Respiratory System					1			1		1																			2	50.00
5. Of Circulatory System																														
0 00 D: 1: 0																														
F OCTI ·																									1		1			
8. Of Generative Organs																														
9. Of Locomotive Organs																											1		,,,	
10. Of Integumentary Syst	em .																													
11. Old Age																														
12. External Causes																														
Unspecified	•••	20.																												
Total from all Causes			1	1	1			3		1																			4	100:00
Total from all Causes	•••	• • • •		1	1		T.		1	6		11														1	1		4	100.00

No. 3 of Table No. 11.

SUMMARY of TOTAL DEATHS registered in the District of Maryborough, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.		4 to 5.	Total under 5 years	5 to 10.	to	15 to 20.	20 to 25.	to	30 to 35.	35 to 40.	to	45 to 50.	to	55 to 60.	to	to	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage of total Deaths.
1. Zymotic Diseases	1	1				2																					2	14.29
Sporadic Diseases. 2. Of Uncertain Seat									泰			7															1	7.14
3. Of Nervous System	2					2						1				• •										• •	2	14.29
4. Of Respiratory System			1	1		2		1																			3	21.43
5. Of Circulatory System																												
6. Of Digestive Organs 7. Of Urinary Organs	1																									1	1	7.14
Q Of Congrative Organia	0																						1					
9. Of Locomotive Organs	1																											
10. Of Integumentary System	1					1																					1	7.14
11. Old Age																		1				i					1	7.14
12. External Causes										1																2	3	21.43
Unspecified																. 0												
Total from all Causes	4	1	1	1		7		1		1		1										1				3	14	100.00

No. 4 of Table No. 11.

Table showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Marybprough during each of the twelve months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

			JA	N.	F	EB.	M	AR.	API	RIL	MA	AY.	Jui	NE.	Ju	LY.	At	JG.	SE	PT.	00	CT.	No	ov.	Di	EC.	Тот	AL.		of s of
Causes of Death		ptmax	Males.	Females.	Grand Total	Per centage total Death;																								
1. Zymotic Diseases		,	 											1												1		2	2	14.29
Sporadic Diseases																														
2. Of Uncertain Seat			 1																								1		1	7.14
3. Of Nervous System			 				1						1														2		2	14.29
4. Of Respiratory System			 				1	1																			1	2	3	21.43
5. Of Circulatory System			 																											
6. Of Digestive Organs			 		1		1		1.						1												1		1	7.14
7. Of Urinary Organs			 																											
8. Of Generative Organs			 															*												
9. Of Locomotive Organs			 																											
10. Of Integumentary Syst	em		 1																								1		1	7.14
11. Old Age			 		1																						1		1	7.14
12. External Causes	,		 				1								1										1		3		3	21.43
Unspecified			 																											
Total from all Causes			 2		1		3	1					1	2	2										1	1	10	4	1.4	100.00

No. 5 of Table No. 11.

No. of Class of Disease.	Names of Diseases	, and	Numbe	er of l	Deaths	from 6	each Di	sease.		Total No. of Deaths in each Class.
1	Dysentery, 1; Diarrhœa, 1								 	2
2	Hepatitis, 1									1
3	Convulsions, 2								 •••	2
4	Bronchitis, 1; Consumption, 2								 	3
5										
6	Inflammation of the Bowels, 1									1
7										
8										
9						*				
10	Scrofula, 1				·					1
11	Old Age, 1								 	1
12	Drowned, 2; Gunshot, 1								 	3
	Total from	all Car	uses						 	14

No. 1 of Table No. 12.,

Summary of Deaths of Males registered in the District of Rockhampton, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	to	2 to 3.	3 to 4.	to	Total under 5 years	5 to 10.	10 to 15.	to	to	to	to	to	to	to	to	to	to	to	to	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	٥.	Total.	Per centage on total Deaths of Males.
1. Zymotic Diseases	 1	2				3	3																				3	8.82
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System	 1 1						 L				1	1	1 1						*								2 4 3	5·88 11·77 8·82
5. Of Circulatory System 6. Of Digestive Organs	 													1													i	2.94
7. Of Urinary Organs 8. Of Generative Organs	 																											
9. Of Locomotive Organs 10. Of Integumentary System	 												2														2	5.88
11. Old Age	 								1	2	3	4	1	3	1	1										2	17 2	50.00 5.88
Total from all Causes	 3	2	-	-		5	5	-	1	2	4	6	5	4	2	1				.,.						4		99.99

No. 2 of Table No. 12.

SUMMARY of DEATHS of FEMALES registered in the District of ROCKHAMPTON, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	to	to	to	30 to 35.	35 to 40.	to	to	to	to	to	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths of Females.
1. Zymotic Diseases	 										.5.																	
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs	 1 2					1 2				•••	1				•••	•••										1	3 2 	37·50 25·00
8. Of Generative Organs 9. Of Locomotive Organs	 					• • • •																	,					• •
10. Of Integumentary System 11. Old Age 12. External Causes	 										1		1														2	25.00
Unspecified Total from all Causes	 3					3					2	$\frac{1}{1}$	1													1	$-\frac{1}{8}$	$\frac{12.50}{100.00}$

No. 3 of Table No. 12.

SUMMARY of TOTAL DEATHS registered in the District of ROCKHAMPTON, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	Under 1 year.		2 to 3.	3 to 4.	4 to 5.	Total under 5 years	5 to 10.	10 to 15.	to	20 to 25.	to	30 to 35.	35 to 40.	to	to	to	to	to	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	٠.	Total.	Per centage on total Deaths.
1. Zymotic Diseases	. 1	2				3																					3	7.14
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs		3				1 3 1		•••		1	1 1	1 1	1	 1	1										•••	1	5 6 3 1	11:90 14:28 7:14 2:38
9. Of Locomotive Organs 10. Of Integumentary System													2		• •												2	4.76
11. Old Age							• •	• • •	1	2	4	4	2	3	1	1					•••					2 1	19 3	45·23 7·14
Total from all Causes	6	2				8			1	3	6	7	5	4	2	1										5	42	99.97

No. 4. of Table No. 12.

BLE showing the actual Number of Deaths of Males and Females in each Class, registered in the District of Rockhampton, during each of the twelve months from 1st January to 31st December, 1861, together with the average per centage of the Total Deaths of the Class.

		JA	N.	FE	В.	MA	R.	API	RIL	MA	Y.	Jui	NE.	Ju:	LY.	At	G.	SE	PT.	Oc	T.	No	ov.	DE	C.	Tor	TAL		of square
CAUSES OF DEATH.		Males.	Females.	Males.	Females.	Grand Total	Per centage total Death																						
1. Zymotic Diseases	 					2																		1		3		3	7.14
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes 13. Unspecified	 			1		1 1 2		1								1		1 5		2 1	1				1 1	2 3 3 1 1 2 17 2	2	5 3 1 1 2	11.90 7.14 2.39 2.39 4.77 4.5.24
Total from all Causes	 		1	3	1	6		3	1	1		1	1	1		3		6		3	2	3		4	2	34	8	42	100.01

No. 5 of Table No. 12.

Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
1	Erysipelas, 1; Dysentery, 1; Apthæ, 1	3
2	General Debility, 3; Premature Birth, 1	4
3	Convulsions, 2; Congestion of the Brain, 2; Hydrocephalus, 1	5
4	Consumption, 2; Inflammation of the Lungs, 1	3
5	Disease of Heart, 1	1
6	Liver Complaint, 1	1
7		
8	Childbirth, 1	1 '
* 9		
10	Scurvy, 2	2
11		
12	Sunstroke, 4; Drowned, 5; Dead in the Bush, 1; Murdered, 3; Asphyxia, 1; Thrown from Dray, 1; Gunshot Wounds, 4	19
	Unspecified, 3	3
	Total from all Causes	42

No. 1 of Table No. 13.

Summary of Deaths of Males registered in the Districts of Port Curtis, Taroom, Gayndah, Dalby, Condamna and Kennedy, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	3 to 4.	4 to 5:	Total under 5 years	0	to	to	20 to 25.	to	to	35 to 40.	to	to	to	55 to 60.	to	to	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 to 100.	?	Total.	Per centage on total Deaths
1. Zymotic Diseases	. 2					2					3					1											6	6:90
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs	. 5 . 2 		1	1		1 5 4 1				1 2 	1	3 2 1 	1 2	1 1 1 1			1	2 1 1 	1							1 1	14 6 13 5 6 1	16·09 6·90 14·94 5·74 6·90 1·14
0. Of Integumentary System 1. Old Age 2. External Causes Unspecified		1				 1 1 1	2		1	3	7 	 2 1 -	5	8 - 12	1 8	2		1								1 - 3	31 5 87	35.63 5.74 99.98

No. 2 of Table No. 13.

Summary of Deaths of Females registered in the Districts of Port Curtis, Taroom, Gayndah, Dalby, Condamin and Kennedy, from 1st January, 1861, to 31st December, 1861.

Causes of Death.	-	1 to 9		to		Total under 5 years	5 to 10.	to	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	to	45 to 50.	to	to	to	to	70 to 75.	to	80 to 85.	85 to 90.	90 to 95.	95 to 100.	٥٠.	Total.	Per centage on total Deaths
1. Zymotic Diseases		1	1			2	1								- 4										j		3	12.50
Sporadic Diseases.																												
		1.			1	2																					2	8.33
			2			6																					6	25.00
		3	1			4						1															5	20.83
			1																									
																											,,,	
		1		1		2		1																			4	16.66
Unspecified		2	1			3	1																				4	16.66
Total from all Causes	1	2	5 .	1	1	19	3	1				1															24	99.98

No. 3 of Table No. 13.

SUMMARY OF TOTAL DEATHS registered in the Districts of Port Curtis, Taroom, Gayndah, Dalby, Condamine, and Kennedy, from 1st January, 1861, to 31st December, 1861.

CAUSES OF DEATH.	Under 1 year.	1 to 2.	2 to 3.	to	4 to 5.	Total under 5 years	0 1	10 to 15.	to	to	to	30 to 35.	35 to 40.	40 to 45.	to	to	55 to 60.	to	to	07	to	to	85 to 90.	to	95 to 100.	?	Males.	all	Total.	Per centage of total Deaths.
1. Zymotic Diseases	 3	1				4	1				3					1											6	3	9	8.11
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary Syste 11. Old Age 12. External Causes Unspecified	 2 9 5 1 1 3	1,	1	1	1	3 11 8 1 		1	1	2	1	1	2	1	3		1	2 1 1 1	1							1 1	14 6 13 5 6 1 	2 6 5 4 4	16 12 18 5 6 1 	14·41 10·81 16·21 4·50 5·40 0·90
Total from all Causes	 24	-	1	2	1	34	6	1	1	6	11	10	8	12	8	3	1	5	2							3	87	- - 24	111	99.98

No. 4 of Table No. 13.

TABLE showing the actual Number of Deaths of Males and Females in each Class, registered in the Districts of Port Curtis, Taroom, Gayndah, Dalby, Condamine, and Kennedy, during each of the twelve months from 1st January to 31st December, 1861, together with the average per centage on the Total Deaths of the Class.

	JA	N.	F	EB.	MA	R.	API	RIL	MA	AY.	Jui	NE.	Ju	LY.	At	JG.	SE	PT.	00	CT.	No	ov.	D	EC.	Тот	AL.	l.	of is of
CAUSES OF DEATH.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Grand Total	Per centage of total Deaths the Class.
1. Zymotic Diseases	 		1	1	1	1			1								1		1				1	1	6	3	9	8.11
Sporadic Diseases. 2. Of Uncertain Seat 3. Of Nervous System 4. Of Respiratory System 5. Of Circulatory System 6. Of Digestive Organs 7. Of Urinary Organs 8. Of Generative Organs 9. Of Locomotive Organs 10. Of Integumentary System 11. Old Age 12. External Causes Unspecified	111111111111111111111111111111111111111	1 1 1	3 1	1	2 1	1 1	1 1		2 1 2 1 	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	3	1	1		1 3	i i	1	•••	1	1			14 6 13 5 6 1 31 5	6 5	12 18 5 6 1 	10·81 16·21 4·50 5·40 0·90
Total from all Causes	 8	3	8	3	5	4	7	1	8	2	7	6.5	10	2	3		12	1	5		8	2	6	3	87	24	11.1	99.98

No. 5 of Table No. 13.

No. of Class of Disease.	Names of Diseases, and Number of Deaths from each Disease.	Total No. of Deaths in each Class.
	Samuel Control of the	
1	Syphilis, 1; Diarrhœa, 1; Hooping Cough, 1; Dysentery, 2; Croup, 1; Fever, 2; Influenza, 1	9
2	Rupture, 1; Natural Causes, 3; Atrophy, 2; Debility, 5; Rheumatism, 2; Dropsy, 3	16
3	Convulsions, 11; Apoplexy, 1	12
4	Asthma, 2; Disease of Lungs, 1; Hœmorrhage of Lungs, 2; Diptheria, 1; Consumption, 5; Bronchitis, 1; Laryngitis, 1; Cold, 2; Pneumonia, 1; Catarrh, 1; Inflammation of Lungs, 1	18
5	Disease of Heart, 3; Aneurism, 2	5
6	Entritis, 1; Inflammation of Bowels, 2; Gastritis, 1; Cholera, 1; Cramp in Bowels, 1	6
7	Diabetes	1
8		
9		
10		
11	**	
12	Drowned, 13; Accident, 3; Fall from a Horse or Dray, 7; Poison, 1; Bite of Snake, 1; Gunshot Wound, 2; Suicide, 2; Stabbed, 1; Sunstroke, 2; Burnt, 1; Murdered by Natives, 2	35
	Unspecified, 9	9
	Total from all Causes	111
	Total Holl all Catalon III III III III III III III III III I	

TABLE No. 14.

RETURN of the Registration Districts, with the Names of the Persons holding
the Office of District Registrar.

METROPOLITAN DISTRICT.

The REGISTRAR-GENERAL.

The Rev. ROBERT CREYKE, Deputy Registrar-General.

COUNTRY DISTRICTS.

IPSWICH						 W. HENDREN, Storekeeper.
WARWICK						JONATHAN HARRIS, Postmaster.
DRAYTON						 G. H. LOVEDAY, C.P.S.
DALBY						F. W., ROCHE, Storekeeper.
CONDAMINE	•••					 R. J. H. FOTHERINGHAM, C.P.S.
GAYNDAH			,			M. AIREY, C.P.S.
MARYBOROU	GH					 CHARLES S. HAWTHORNE.
TAROOM						R. W. DOUGLAS, C.P.S.
PORT CURT	ıs					 J. S. POWE.
Rockhampt	ON					F. N. BEDDEK, C.P.S.
Kennedy		706				 JAMES GORDON, C.P.S.